



# **Product specifications**

Name	Anti-h HE4 4501 SPTN-5
Specificity	Antibody recognizes human epididymis protein 4 (HE4)
Description	Monoclonal mouse antibody, cultured <i>in vitro</i> under conditions free from animal-derived components
Product code	100589
Product buffer solution	50 mM Na-citrate, pH 6.0, 0.9 % NaCl, 0.095 % NaN $_3$ as a preservative
Shelf life and storage	36 months from manufacturing at 2–8 °C
Subclass	IgG <sub>1</sub>
Analyte description	Human epididymis protein 4 (HE4), also known as WAP four-disulfide core domain protein 2, is a 124 amino acid long protease inhibitor. Serum HE4 is often measured together with CA125 to monitor progression of epithelial ovarian cancer after treatment.

## Parameters tested on each lot

Product appearance	Liquid, may turn slightly opaque during storage
Product concentration	5.0 mg/ml (+/- 10 %)
Immunoreactivity	80–120 % compared to the reference sample in an FIA test
IEF Profile	5.9–7.3
Purity	≥ 95 %

# **Kinetic parameters**

Association rate constant	Not Determined (N/D)
Dissociation rate constant	N/D
Affinity constant	N/D
Determination method	-
Determination antigen	-

**Oy Medix Biochemica Ab** Klovinpellontie 3 FI-02180 Espoo, Finland

medix@medixbiochemica.com www.medixbiochemica.com VAT reg.no. FI14631532

Legal disclaimer Medix Biochemica products meet their specifications if transported, stored and used according to the instructions. Medix/MAB and Medix/Antigens are trademarks of Medix Biochemica and may not be used or reproduced without Medix Biochemica's written permission.





#### **Cross-reactivities**

Pair recommendations

Epitope

### Does not recognize cancer antigens CA125, CA19-9 or CA15-3

### Overlapping epitope with Anti-HE4 antibody 2H5<sup>1</sup>

		DETECTION				
		4501	4502	4503	4505	4506
	4501	-	-	+	+	+
CAPTURE	4502	-	-	+	+	+
	4503	-	-	-	-	-
	4505	-	-	-	-	-
	4506	-	-	-	-	-

Please note that pair recommendations are based on results obtained by our laboratory. Equally good results may be obtained using other pairs and therefore these recommendations are only indicative.

Platforms tested	FIA		
Antigens tested	N/D		
Product stability	TEMPERATURE, TIME	RESULT	
	-70 °C, 21 days	ОК	
	-20 °C, 21 days	ОК	
	+4 °C, 21 days	ОК	
	+35 °C, 21 days	ОК	
	+45 °C, 7 days	ОК	
	Stability testing is performed in the product buffer to see whether different temperatures affect the antigen binding, charge or composition of the antibody. Please note that the shelf life given on the first page is based on real time stability testing at 2–8 °C in the product		

buffer.

Miscellaneous

References

<sup>1</sup>Hellström I, Raycraft J, Hayden-Ledbetter MH et al. (2003). The HE4 (WFDC2) protein is a biomarker for ovarian carcinoma. Cancer Res 63:3695-3700.

**Oy Medix Biochemica Ab** Klovinpellontie 3 FI-02180 Espoo, Finland medix@medixbiochemica.com www.medixbiochemica.com VAT reg.no. FI14631532 Legal disclaimer

Medix Biochemica products meet their specifications if transported, stored and used according to the instructions. Medix/MAB and MedixAntigens are trademarks of Medix Biochemica and may not be used or reproduced without Medix Biochemica's written permission.